

This listing of claims will replace all prior versions and listings of claims in the present application.

Listing of Claims

1. (Currently amended) A portable elevated vehicle display for displaying a vehicle being offered for sale comprising:

a portable base having leveling devices on corners thereof;

a frame carried by said base;

a parallelogram structure pivotally attached on a lower end thereof to said frame, said frame forming a lower part of said parallelogram structure;

a platform support pivotally attached to an upper end of said parallelogram structure and forming an upper part thereof;

a display platform mounted on top of said platform support for displaying said vehicle thereon;

an extender connected on a first end to a first side of said parallelogram structure and on a second end to a second side of said parallelogram structure, upon said extender being extended said parallelogram structure pivoting to an upright position thereby lifting said display platform and said vehicle thereon vertically, upon said extender being retracted said parallelogram structure pivoting to a generally horizontal position thereby lowering said display platform and said vehicle thereon; ~~and~~

wherein said portable base has outriggers for side support, said outriggers also having leveling devices ~~thereon; and~~

wherein said frame is slidable within said base in response to extension or retraction of said extender.

2. (Original) A portable elevated vehicle display for displaying a vehicle being offered for sale as recited in Claim 1 wherein said extender is a hydraulic cylinder.

3. (Cancelled)

4. (Currently amended) A portable elevated vehicle display for displaying a vehicle being offered for sale as recited in ~~Claim 3~~ Claim 1 wherein said frame is bolted to said portable base upon said parallelogram structure being pivoted to said upright position.

5. (Previously presented) A portable elevated vehicle display for displaying a vehicle being offered for sale as recited in Claim 4 wherein said frame has a raised rear portion thereof which pivotally connects at its top to said lower end of said parallelogram structure thereby allowing said display platform to lower fully upon said extender retracting.

6. (Original) A portable elevated vehicle display for displaying a vehicle being offered for sale as recited in Claim 1 further comprising:

bearings between said platform support and said display platform;

motor connected to gears between said platform support and said display platform for rotating said display platform and said vehicle located thereon.

7. (Previously presented) A portable elevated vehicle display for displaying a vehicle being offered for sale as recited in Claim 1 wherein said portable base is mounted on wheels.

8. (Previously presented) A portable elevated vehicle display for displaying a vehicle being offered for sale as recited in Claim 7 wherein said portable base has cables for front-to-back support when said parallelogram structure is pivoted to said upright position.

9. (Original) A portable elevated vehicle display for displaying a vehicle being offered for sale as recited in Claim 8 wherein said portable base has I-beam type sides with said frame being slidable within said I-beam type sides.

10. (Cancelled)

11. (Currently amended) A method of displaying a vehicle at an elevated height comprising the following steps:

moving a portable vehicle display to a desired location;

~~lowering said portable vehicle display;~~

supporting said support structure with outriggers on sides of said portable vehicle display for lateral support wherein corners of said portable vehicle display and said outriggers are leveled by leveling jacks;

driving said vehicle onto a display platform of said portable vehicle display;

raising a support structure with said display platform and said vehicle on one end thereof to an elevated height wherein said raising step of said support structure includes separating opposing sides of a parallelogram pivotally connected on a lower end to a frame and on an upper end to said display platform and wherein said frame is slidable within a portable base, said frame

being near one end of said portable base during said driving step and near a middle of said portable base during said rotating step and ~~supporting said support structure with outriggers on sides of said portable vehicle display for lateral support wherein corners of said portable vehicle display and said outriggers are leveled by leveling jacks;~~

rotating said display platform and said vehicle; and

reversing the preceding ~~three~~ rotating, raising and driving steps to remove said vehicle.

12. (Previously presented) The method of displaying said vehicle as recited in Claim 11 which includes after said raising step providing support in a plurality of directions for said display platform and said vehicle.

13. (Cancelled)

14. (Cancelled)

15. (Currently amended) The method of displaying said vehicle as recited in ~~Claim 14~~ Claim 11 wherein said frame is secured to said portable base during said moving step and said rotating step.

16. (Previously presented) The method of displaying said vehicle as recited in Claim 12 wherein said providing support includes cables connected between ends of said portable vehicle display and an upper end of said support structure for front-to-back support.

17. (Canceled)

18. (Currently amended) The method of displaying said vehicle as recited in ~~Claim 14~~ Claim 11 wherein said display platform and said vehicle are raised between 10 and 25 feet into the air.